

# INDEX MAPS.

## T. 10 N. R. 13 E. 2<sup>nd</sup> Mer.

255	256	256	257	257		
259 6	263 5	266 4	271 3	271 2	1	
268	266	270	271			
259 7	262 8	266 9	270 10		11	12
262	265	270	270			
259 18	262 17	265 16	269 15		14	13
261	265	269	269			
258 19	261 20	265 21	268 22		23	24
261	264	268	268			
258 30	260 29	264 28	267 27		26	25
260	264	267	267			
257 31	260 32	263 33	267 34		35	36
254	254	254	255			

## T. 11 N. R. 13 E. 2<sup>nd</sup> Mer.

276	276	276	277	277		
279 6	291 5	294 4	293 3	293 2	1	
291	292-294	292-294	292-293	292		
279 7	290 8	290 9	289 10	289 11	12	
288	288-290	288-290	288-289	289		
278 18	287 17	287 16	283 15	280 14	13	
286	287	283	283	280		
278 19	286 20	282 21	281 22	280 23	24	
285	285	282	281-298	297-298		
278 30	285 29	281 28	296 27	297 26	25	
284	284	295	296	297		
278 31	284 32	295 33	295 34	296 35	36	
274	274	274	275	275		

The figures on the lines refer to the page.

Township N<sup>o</sup> 10 North, Range N<sup>o</sup> 13 E. 2<sup>nd</sup> Mer. T<sup>h</sup>.

Ch<sup>o</sup> 40<sup>0</sup> Township Lines.  
South Boundary.

East U.S. boundary of Sec. 37.

8.50 a Wh. Oak 46 in. diam.

9.66 a Poplar 18 in. diam.

27.75 a stream 6 ft. wide & course N.E.

38.90 a Bl. Oak 32 in. diam.

40.00 Set gr. sec. post. from which  
a Poplar 12 in. dia. bears N 70 E. 7 ft. dist. X  
a Bl. Gum 5 " " " N 67 W. 9 " "

45.14 a Wh. Oak 36 in. diam.

46.00 a stream 10 ft. wide & course N.

74.31 a Poplar 18 in. diam.

80.00 set post cor. to Sec. 31 & 32, from which  
a Hickory 7 in. dia. bears N 42 E. 36 ft. dist. X  
a White Oak 42 in. dia. " S 44 W. 31 " "  
Land, level. Timber: Oak Hickory Poplar  
Maple Ash &c.

East On S. boundary of Sec. 32.

9.90 a Bl. Oak 17 in. diam.

40.00 set gr. sec. post. from which  
a Wh. Oak 36 in. dia. bears N 72 W. 34 ft. dist. X  
an Ash 8 in. dia. bears S 88 E. 24 " "

45.05 a stream 8 ft. wide & course N.

80.00 Set post cor. to Sec. 32 & 33. fr. wh.  
a Wh. Oak 11 in. dia. bears N 47 W. 12 ft. dist.  
a Wh. Oak 4 " " " S 73 E. 27 " "  
Land, level. Timber Oak and  
Poplar Hickory &c. Undergrowth  
Hazel Dogwood and spice.

East On S. side of Sec. 33.

.93 a Wh. Oak 48 in. diam.

16.10 a stream 6 ft. wide & course N.

34.56 a Blk. — 13 in. diam.

T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Pa.

- 40.00 Set q. sec. post from which  
a Wh. Oak in diam. bears N 53 W, 10<sup>th</sup> dist.  
a Bl. Oak 18 " " " S 81 E, 43 " "
- 63.84 a Bl. Oak 12 " "
- 76.90 a Brook 15<sup>th</sup> wide course N.W.
- 80.00 Set post cor. to Sec. 33 & 34, from wh.  
a Maple 9 in. dia. bears N 83 E, 9<sup>th</sup> dist. &  
a Bl. Oak 18 " " " S 49 W, 32 " "
- Land waving. Timb. Oak, Hickory  
Ash, Poplar &c. Under growth.  
Dogwood Hazel & Spice &c.

East On S. Side of Sec. 34.

2.79 a Wh. Oak 16 in. diam.

- 40.00 Set q. sec. post, from which  
a Bl. Oak 22 in. dia. bears East 22<sup>th</sup> dist. &  
a Maple 10 " " " N 63 W, 32 " "

9.43 Thick Boundary Set post, from wh.  
a Wh. Oak 11 in. dia. bears N 20 E, 11<sup>th</sup> dist. &  
a Bl. Oak 8 in. " " " S 55 E, 20 " "

Land, level, Timb. Oak, Hickory  
Ash &c.

Surveyed in 1806

By John Brownson

Deputy Surveyor.

## North Boundary.

East On S. Side of Sec. 31. T. 11 N. R. 13 E.

from New Boundary where

a Wh. Oak 22 in. dia. bears N 23 E, 24<sup>th</sup> dist.

a Wh. Oak 14 " " " S 60 W, 16 " "

8.25 a Stream 4<sup>th</sup> wide course N.

29.40 Set q. sec. post, from which

a Wh. Oak 17 in. dia. bears S 15 W, 37<sup>th</sup> dist.

a Gum 6 " " " N 27 E, 23<sup>th</sup> dist.

43.50 a Stream 8<sup>th</sup> wide course N.E.

256

T. 11 N. R. 13 E. 2<sup>nd</sup> Sec. Ind.

48.44 a Sugar 11 in. diam.  
 61.30 a Brook 50 lb. wide course N.W.  
 69.40 set post Cor. of Sec. 31 & 32, from wh.  
 a Sugar 8 in. dia. bears N 4 E, 8 lb. dist. and  
 a Wh. Oak 24 in. dia. bears N 66 W, 17 lb. dist.  
 Land hilly. Timber Oak, Hickory  
 Sugar Ash &c.

---

East On S. side of Sec. 32. T. 11 N. R. 13 E.  
 2.59 a Walnut 16 in. diam.  
 13.80 a stream 10 lb. course S.  
 14.54 a Sugar 14 in. diam.  
 40.00 set q. sec. post, from which  
 a Dogwood 5 in. dia. bears N 38 E, 29 lb. &  
 a Bl. Gum 10 " " " S 39 E, 14 lb. dist.  
 73.50 an Elm 17 in. diam.  
 76.25 a Brook 15 lb. wide runs S. E.  
 80.00 set post Cor. to Sec. 32 & 33, from wh.  
 a Sugar 12 in. dia. bears N 2 E, 18 lb. dist.  
 a Sugar 12 " " " S 22 E, 11 " "  
 Land, hilly. Timber Oak, Sugar  
 Hickory Sugar & Ash &c.  
 Small Brushy.

---

East On S. side of Sec. 33. T. 11 N. R. 13 E.  
 8.84 a Wh. Oak 36 in. diam.  
 40.00 set q. sec. post, from which  
 a Wh. Oak 12 in. dia. bears S 72 E, 6 lb. dist.  
 a Wh. Oak 8 " " " N 75 W, 29 " "  
 63.60 a Do. 34 " "  
 80.00 set post Cor. to Sec. 33 & 34, from wh.  
 a Wh. Oak 8 in. dia. bears S 86 E, 12 lb. dist.  
 & a Poplar 13 " " " S 84 W, 39 " "  
 Land, waving. Timber Oak, Hickory  
 Poplar, Sugar Ash Dogwood &c.



T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

East On S. Side of sec. 34. T. 10 N. R. 13 E.  
 31. 96 a Maple 40 in. diam.  
 40.00 Set gr. Sec. post, from which  
 a Maple 8 in. dia. bears N 14° W. 14 lks. dist.  
 a Beech 6 " " " S 17° W. 21 " "  
 48. 08 a Wh. Oak 48 in. diam.  
 80.00 Set post cor. of sec. 34 & 35, from wh.  
 a Wh. Oak 16 in. diam. bears N 19° E. 27 lks. dist.  
 a Wh. Oak 18 " " " S 37° W. 47 " "  
 Land flat. Timber: Oak, Maple,  
 Gum, Poplar Hickory &c.

---

East On S. Side of sec. 35. T. 10 N. R. 13 E.  
 3. 04 Intersect Boundary and set post  
 from which  
 a Blk. = 18 in. dia. bears S 81° E. 14 lks. dist.  
 a Wh. Oak 20 " " " N 14° W. 22 " "  
 January 22<sup>nd</sup> 1807.  
 Surveyed By John Brownson  
 Deputy Surveyor.

Went to Where the line dividing Townships  
 N. 10 & 11 of Range N. 13 intersect the  
 Boundary line and continued the  
 Township line West 10.50 lks., -  
 Fell 5.83 North of Township corner.  
 Set a post for the cor. of Townships  
 10 & 11 of Ranges 13 East, from which  
 a Wh. Oak 30 in. dia. bears S 36° E. 24 lks. dist.  
 a Wh. Oak 20 " " " N 70° W. 20 " "  
 Surveyed in 1810.

By A. Holmes, Dep. Sur.

---

West Boundary N. 5° E.  
 North On E. side of sec. 36. T. 10 N. R. 12 E.  
 18. 10 a Bl. Oak 30 in. diam.

T. 10 N. Sec. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

- 40.00 Set gr. sec. post. from which  
 a Wh. Oak 26 in. dia. bears N 76 E. 16 lb.  
 & a Wh. Oak 30 " " " S 45 W. 24 "  
 54.62 a Wh. Oak 32 in. diam.  
 80.00 Set post cor. to Sec. 25 & 36, from wh.  
 a Poplar 13 in. dia. bears S 36 E. 27 lb.  
 & a Wh. Oak 16 in. " " N 33 W. 25 "  
 Land, waving. Timber: Oak, Hickory  
 or Poplar Sugar Gum. &c.

## North On E. side of sec. 25. T. 10 N. R. 12 E.

- .36 a Wh. Oak 14 in. diam.  
 8.80 a Brook 15 lb. wide course E.  
 22.59 a Wh. Oak 32 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Wh. Oak 13 in. diam. bears South 29 lb.  
 a Beech 11 " " " N 11 W. 33 "  
 74.03 a Do. 16 " "  
 80.00 Set post cor. of sec. 24 & 25, from wh.  
 a Wh. Oak 9 in. diam. bears N 56 E. 13 lb. dist.  
 an Oak 17 in. diam. bears S 35 W. 42 " "  
 Land 1<sup>st</sup> half Broken. rest level.  
 Timber: Oak, Hickory, Poplar, Maple  
 Ash &c.

## North On E. side of sec. 24. T. 10 N. R. 12 E.

- 17.54 a Poplar 17 in. diam.  
 24.30 a stream 4 lb. wide course N. E.  
 25.30 a stream 6 " " " N 75 E.  
 38.10 a Wh. Oak 32 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Bl. Gum 11 in. dia. bears N 45 E. 8 lb. dist.  
 a Wh. Oak 12 " " " S 40 W. 21 " "  
 49.50 a stream 6 lb. wide course E.  
 80.00 Set post cor. of sec. 13 & 24, from wh.  
 an Elm 22 in. dia. bears N 5 E. 20 lb. dist. &

T. 10 N. R. 13 E. 2<sup>nd</sup> Mer Ind<sup>o</sup>

a Wh. Oak 9 in. diam. bears N 40 W. 18 lb.  
Land, broken. Timber Oak, Poplar  
Hickory Gum Dogwood &c.

North On E. side of Sec. 13. T. 10 N. R. 12 E.

40.00 Set gr. Sec. post, from which  
a Wh. Oak 13 in. dia. bears N 70 E. 20 lb. dist.  
& a Beech 13 " " " S 51 W. 28 " "

56.24 a Wh. Oak 24 in. diam.

59.00 a Stream 4 ft. wide Course E.

80.00 Set post Cor. to Secs 12 & 13, from which  
a Bl. Gum 12 in. diam. bears N 48 W. 16 lb.  
a Wh. Oak 14 " " " S 81 E. 8 lb. dist.  
Land, waving. Timber: Oak, Hickory,  
Ash, Poplar &c.

North On E. side of Sec 12. T. 10 N. R. 12 E.

17.40 a Bl. Oak 30 in. diam.

40.00 Set gr. Sec. post, from which  
a Wh. Oak 30 in. dia. bears N 53 E. 35 lb. &  
a Wh. Oak 12 " " " S 45 W. 35 " dist.

40.77 a Wh. Oak 34 in. diam.

76.57 a Wh. Oak 38 in. diam.

80.00 Set post Cor. to Secs 12 & 13, from which  
a Poplar 8 in. dia. bears N 41 W. 13 lb. dist.  
a Wh. Oak 15 " " " S 73 E. 10 " "  
Land, flat. Timber, Oak, Hickory,  
Gum, Poplar Elm &c.

North On E. side of Sec. 1. T. 10 N. R. 12 E.

16.11 a Wh. Oak 22 in. diam.

40.00 Set gr. Sec. post, from which  
a Bl. Oak 28 in. diam. bears N 24 E. 35 lb.  
a Beech 7 in. dia. bears S 20 W. 4 lb. dist.

41.67 a Wh. Oak 20 in. diam.

56.14 a Do. 18 " "

T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

72.97 Indian Boundary & set post, from wh.  
a Wh. Oak 12 in. dia. bears North - 10<sup>0</sup> dist.  
a Do. 14 " " " S 58 E, - " "  
Land, level Timber: Oak Hickory  
Dogwood, Poplar & Beech &c.  
Surveyed in 1806.

By John Brownson  
Deputy Surveyor.

Subdivisions.

North Between sections 31 & 32.

40.00 set q. sec. post. from which  
a Poplar 12 in. dia. bears South 2<sup>0</sup> dist.  
a Wh. Oak 15 " " " East 20 " "  
80.00 set post cor. to sec. 29, 30, 31 & 32.  
a Gum 4 in. dia. bears North 13<sup>0</sup> dist. &  
a Dogwood 3 in. " South 4 " "

West Allhand<sup>er</sup> between sec. 30 & 31.

10.00 a stream 6<sup>0</sup> wide course N. E.  
40.00 set q. sec. temp. post.  
80.10 Intersect N & S line 20<sup>0</sup> S. of post.

East Correct line between sec. 30 & 31.

18.00 a stream 6<sup>0</sup> wide course N. E.  
40.05 set q. sec. post. from which  
a Wh. Oak 12 in. diam. bears N 68 W. 3<sup>0</sup> dist.  
a Sassafras 8 " " " S 29 W. 22 " "  
80.00 set post cor. of sec. 29, 30, 31 & 32.  
Land, Broken. Timber, Oak Beech  
Dogwood - 3<sup>0</sup> rate.

North Between sections 29 & 30.

34.75 a stream 25<sup>0</sup> wide course E.  
40.00 set q. sec. post. from which  
a dogwood 4 in. dia. bears S 20 E, 3<sup>0</sup> dist. &



T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

40.00 a wh. Oak 10 in. dia. bears N 30 W, 30 lb. dist.  
 80.00 set post cor. to Sec. 19, 20, 29 & 30.  
 a wh. Oak 24 in. dia. bears N 55 E, 4 lb. dist.  
 a Gum 6 " " " S 10 E, 20 " "  
 Land, level. Timber: Oak, Hickory &c.  
 Briers - 3<sup>rd</sup> rate.

---

West On Band<sup>2<sup>nd</sup></sup> between Sec. 19 & 30.  
 40.00 set tempy. gr. sec. post  
 80.15 Intersect N & S line at post.  
 Land, level. Timber: Wh. Oak.

---

East. Correct line between Sec. 19 & 30.  
 40.07 set gr. sec. post, from which  
 a Dogwood 3 in. dia. bears West 3 lb.  
 & a wh. Oak 10 in. dia. bears East 20 "  
 80.15 Section Corner.  
 Land level. Timber: Oak Gum &c.

---

North Between Sec. 19 & 20.  
 40.00 set gr. sec. post, from which  
 a Gum 4 in. dia. bears North 2 lb. dist.  
 a Gum 10 " " " S 6 E, 44 " "  
 72.25 a stream 15 lb. wide course N.W.  
 80.00 set post cor. of Sec. 17, 18, 19 & 20,  
 a Hickory 8 in. dia. bears N 67 E, 10 lb. dist. &  
 a Hickory " " " S 60 E, 12 " "  
 Land, Broken, poor land. Timber:  
 Gum, Oak Beech &c. Green hives  
 &c. &c.

---

West On Band<sup>2<sup>nd</sup></sup> between Sec. 18 & 19.  
 40.00 set tempy. gr. sec. post.  
 79.80 Intersect N & S line 15 lb. N of post.  
 Broken poor Gum land.

---

262

S. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

East correct line betw<sup>n</sup> sec. 18 & 19.

39.90 Set gr. sec. post. from which  
a crab apple 3 in. dia. bears East 3 lk. dist.  
a Gum 15 in. dia. bears S 10 W. 40 " "

79.80 Sec. cor.

Land, level. Oak, Hickory, &c.

---

North Between Sec. 17 & 18.

40.00 Set gr. sec. post. from which  
a Wh. Oak 8 in. diam. bears S 75 E. 14 lk. dist.  
a Hickory 4 " " " N 35 W. 11 " "

80.00 Set post cor. to sec. 7, 8, 17 & 18  
from which

a Wh. Oak 18 in. dia. bears N 75 W. 43 lk.  
& a Wh. Alb 4 " " " West, 20 dist.  
Land, level. Beech timber 3<sup>rd</sup> rate.

---

West On Hand<sup>n</sup> betw<sup>n</sup> sec. 7 & 18.

40.00 Set gr. sec. post temp.

81.25 Intersect N & S. line 11 lk. N. of post.

---

East correct line between Sec. 7 & 18.

40.62 Set gr. sec. post. from which  
a Wh. Oak 18 in. dia. bears South. 6 lk. dist.  
& a dogwood 4 " " " South, 21 " "

81.25 Section corner.

Land, level. Timber: Oak, Hickory  
&c. 2<sup>nd</sup> rate.

---

North Between Sec. 7 & 8.

40.00 Set gr. sec. post. from which  
a Hickory 4 in. dia. bears N 2 E. 3 lk. dist.  
a Do. 4 " " " " S 2 W. 4 " "

72.25 a stream 15 lk. wide runs East.

80.00 Set post cor. of sec. 5, 6, 7 & 8, fr. wh.  
a Wh. Oak 14 in. diam. bears N 70 E. 43 lk.

S. 10 N. T<sub>4</sub>. 13 E. 2<sup>nd</sup> Mer. Indiana.

ch. 4<sup>th</sup> a wh. Oak 14 in. dia. bears S 20 W 40 lb. dist.  
Land, level. Timber Beech.

West. On Grand<sup>er</sup> between sec. 6 & 7.

40.00 set temp. g. gr. sec. post.

80.80 Intersect W. Boundary at post.  
Land level. Timber Oak.

East Correct line between sec. 6 & 7.

40.40 set gr. sec. post. from which  
a Dogwood 4 in. dia. bears South 2 lb.  
ya so. 4 in. diam. bears S 60 W 20 lb. dist.

80.80 Section Corner.

Land level. Timb. Oak, Beech  
& Briers &c. 3<sup>rd</sup> rate.

North Between Sec. 5 & 6.

40.00 set gr. sec. post. from which  
a Cherry 4 in. dia. bears South 3 lb. dist.  
a so. 4 " " " West 5 " "

70.00 a stream 25 lb. wide course N. W.

80.10 Intersect N. Boundary 100 lb. E. of the  
post & set post line to Sec. 5 & 6, from  
an Ironwood 6 in. diam. for cor.  
Land broken. Timb. Beech.

North Between Sec. 32 & 33.

40.00 set gr. sec. post. from which  
a Dogwood 4 in. diam. bears S 75 E. 12 lb. dist.  
a wh. Oak 10 " " " S 80 W 9 " "

71.25 a stream 15 lb. wide course N. W.

80.00 set post cor. to Sec. 28, 29, 32 & 33.  
a Cherry 3 in. dia. bears N 38 E. 4 lb. dist.  
a Hickory 4 in. " " N 15 E. 48 " "  
Land, Broken Timb. Bl. Jack  
Cherry quaking Ash &c. briers.

S. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

West on Random <sup>1<sup>st</sup></sup> between Secs 29 & 32.  
 40.00 Set gr. sec. post from which  
 80.00 Intersect N & S line at post.

---

East Correct line between Secs 29 & 32.  
 5.00 a stream 14 lks. wide N.E.  
 14.00 a Do. 16 " " N.E.  
 40.00 Set gr. sec. post. from which  
 an Elm 10 in. diam. bears North 25 lks. dist.  
 80.00 Section Corner.

---

North Between Secs 28 & 29.  
 23.25 a stream 12 lks. wide course E.  
 40.00 Set gr. sec. post. from which  
 a Maple 8 in. dia. bears N E, 3 lks. dist.  
 a Do. 10 " " " " 220° 11.30 " "  
 60.00 a stream 15 lks. wide course S.W.  
 80.00 Set post cor. to Secs 20, 21, 28 & 29.  
 a Gum 6 in. dia. bears N 25 E, 10 lks. dist.  
 & a Wh. Oak 10 in. " " N 55 W, 12 lks. dist.  
 Land this mile broken. — — —  
 Timb. Gum. Oak Maple & c.

---

West on Random between Secs 20 & 29.  
 20.00 a stream 16 lks. wide course North  
 40.00 Set gr. sec. post. Temp. g.  
 54.50 a stream 30 lks. wide course N.  
 80.00 Intersect N & S line at the post  
 Land, broken. Timb. Oak, Beech  
 Briers & c.

---

East Correct line between Secs 20 & 29.  
 40.00 Set gr. sec. post. from which  
 a Wh. Oak 24 in. dia. bears S 69 W, 24 lks. dist.  
 a Do. 48 " " " " N 27 E, 13 " "  
 80.00 Sec. cor.



*T. H. N. No. 136. 2<sup>nd</sup> Mer Indiana.*

*North Between Secs. 20 & 21.*

- 40.00 Set gr. sec. post, from which  
a Gum 6 in. dia. bears S 2 E, 3 1/2 W. dist.  
a Gum 10 " " " N 20 E, 30 " "  
80.00 Set post cor. to sec. 16, 17 & 20 & 21,  
a Wh. Oak 12 in. dia. bears N 46 W, 13 1/2 W.  
& a Hickory 4 " " " N 58 E, 12 "  
Land, 1/2 broken poor land.  
Timb.: Oak, Dogwood &c.

*West On Random Bctw<sup>g</sup> sec. 17 & 20.*

- 34.00 a stream 50 W. wide course N. W.  
40.00 Set temp. gr. sec. post.  
80.00 Intersect N & S line at the post.

*East Between Secs. 17 & 20. Corrected line*

- 40.00 Set gr. sec. post, from which  
a Wh. Oak 20 in. dia. bears S 34 W, 32 1/2 W.  
a Do. 24 " " " North 8 " dist.  
80.00 See corner  
Timb.: Beech, Poor land. Tim.  
Oak &c. wet bad land.

*North Between Secs. 16 & 17.*

- 40.00 Set gr. sec. post, from which  
a Wh. Oak 12 in. dia. bears S 20 W, 22 1/2 W. dist.  
a Do. 10 " " " N 19 E, 15 " "  
60.00 a stream 10 W. wide course N. E.  
67.00 a Do. 25 " " " E.  
80.00 Set post cor. of Secs. 8, 9, 16 & 17,  
a Sugar 6 in. dia. bears S 10 W, 19 W. dist.  
a Dogwood 4 in. " " N 25 W, 14 " "  
Land, Broken. Timb.: Hickory Oak  
&c. 3/4 rate.

unusually good on bottom  
bank on S. side 60 feet high

*West On Rand<sup>g</sup> betw<sup>g</sup> sec. 8 & 17.*

266

S. 10 N. T. 13 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

40.00 Set gr. sec. post. (temp<sup>y</sup>.)  
80.00 Intersect N & E. line at the post.  
Land, level. Timb. Oak & Beech.

---

East Between Secs 8 & 17. (Correction line.)  
40.00 Set gr. sec. post. from which  
a Wh. Oak 10 in. dia. bears N 26 E. 17 lks. dist.  
& a Hickory 4 " " " S 4 W. 14 " "  
80.00 Section Corner.

---

North Between Secs 8 & 9.  
7.25 a stream 25 lks. wide course N. W.  
40.00 Set gr. sec. post. from which  
an Ironwood 3 in. dia. bears N. 3 lks. dist.  
80.00 Set post cor. to Secs 4, 5, 8 & 9, fr. wh.  
a Wh. Oak 10 in. dia. bears S 20 E. 9 lks. dist.  
& a Hickory 4 " " " N 60 W. 18 " "  
Land, this mile broken. Oak  
Beech &c. 3<sup>rd</sup> rate.

---

West On Range<sup>m</sup> betw<sup>n</sup> Secs 5 & 8.  
40.00 Set gr. sec. post. temp<sup>y</sup>.  
79.84 Intersect N & E. line at post.

---

East Correct line between Secs 5 & 8.  
39.92 Set gr. sec. post. from which  
a Beech 18 in. diam. bears South 3 lks. dist.  
a Wh. Oak 18 " " " North 1 lks. dist.  
53.75 a stream 40 lks. wide course N. E.  
79.84 Section Corner.

---

North Between Secs 4 & 5.  
40.00 Set gr. sec. post. from which  
a Hickory 3 in. dia. bears South 2 lks. dist.  
& a Hickory 4 " " " N 11 E. 6 " "  
79.90 Intersect N. Boundary 50 lks. E. of post

S. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Set post Cor. to Sec. 4 & 5, from which  
a Buckeye 10 in. dia. bears East 10 lb. dist.  
a Sugar 4 " " " West, 14 " "  
Timber Oak Gum &c. Land 3<sup>rd</sup> rate

North Between sections 33 & 34.

40.00 set gr. sec. post, from which  
a Wh. Oak 18 in. dia. bears N 60 W, 13 lb. dist., &  
a Wh. Oak 16 " " " North 11 East

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Wh. Oak 48 in. dia. bears N 50 W, 7 lb. dist. &  
a Hickory 12 " " " S 24 W, — " "  
Land, not noted.

West Between sec. 28 & 33. on Random.

40.00 set gr. sec. post, from which (Temp<sup>y</sup>.)

80.00 Intersect N & G. line at 114 lb. N. of the  
post. Land 3<sup>rd</sup> rate.

East Correct line betw<sup>n</sup> sec. 28 & 33.

2.50 a stream 14 lb. wide course N.

40.00 set gr. sec. post, from which  
a Wh. Oak 10 in. diam. + bay N 16 W, 9 lb. dist.  
a <sup>Pine</sup> Oak 12 " " " North 40 " "

80.00 section corner.

East Between sec. 27 & 34.

23.72 To the old Indian Boundary

& set a post, from which  
a Wh. Oak 48 in. dia. bears N 50 W, 7 lb. dist.  
a Hickory 12 " " " South 24 " "  
Land, level. Timber Oak, Hickory  
much Boush & Briers.

North Between sec. 27 & 28.

35.50 a stream 12 lb. wide c. N. W.

T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Pa.

40.00 Set q. sec. post, from which  
a Wh. Oak 12 in. dia. bears S 67 E. 16 lb. dist.  
& a Do. 10 " " " N 72 W. 7 " "

80.00 Set post cor. of sec. 21, 22, 27 & 28, from wh.  
a Pin. Oak 14 in. dia. bears N 11 W. 20 lb. dist. &  
a Pin. Oak 18 " " " S 19 E. 28 " "

This is a devil of a place Oak Hick-  
ory biers &c. - 3<sup>rd</sup> rate.

West On Boundary between Sec. 21 & 28.

\* 40.00 Set temp. q. sec. post.

80.00 Intersect N & S. line at post.

Land, Broken, Oak & Beech green biers  
&c. &c.

" 22.00 a Theorn 8 lb. wide runs S. W.

East Correct line betw <sup>2</sup>/<sub>7</sub> sec. 21 & 28.

40.00 Set q. sec. post, from which  
a Wh. Oak 12 in. dia. bears S 45 W. 7 lb. dist. &  
a Do. 14 " " " N 40 E. 7 " "

80.00 Section Corner

East Between sec. 22 & 27.

35.70 To the Old Indian Boundary line  
& set a post, from which  
a Maple 16 in. dia. bears S 10 W. 17 lb. dist. &  
a Maple 8 " " " N 22 W. 9 " "  
Land low and wet. Timber Oak &  
Maple. brush and biers - what a  
place this is!!! 27<sup>th</sup>

North Between Sections 21 & 22.

40.00 Set q. sec. post, from which  
a Pin Oak 23 in. diam. bears N 57 W. 21 lb. dist.  
a Wh. Oak 10 " " " S 30 E. 13 " "

80.00 a Hickory 8 in diam. stands for post cor.



S. 10 N. N. 13 E. 2<sup>nd</sup> Mer. Ind. a

ch. 1<sup>st</sup> To Sections 15, 16, 21 & 22.  
Land level, Timb. Oak and Hickory;  
brush and briars, 3<sup>rd</sup> rate.

---

West On Random between Secs 16 & 21.

40.00 Set temp. gr. sec. post.

79.25 Intersect N 4 E line 20 ch. S of post.

---

East Correct line between Secs 16 & 21.

39.62 Set gr. sec. post. from which  
a Hickory 4 in. dia. bears East 14 ch. dist. &  
a Hickory 6 " " " N 37 W, 22 " "

79.25 Section corner.

Land, Broken Timb. Oak Hickory fern &c.

---

East Between Sections 15 & 22.

40.00 Set gr. sec. post. from which  
a Maple 6 in. dia. bears S 69 E. 13 ch. dist. &  
a Wh. Oak 18 " " " N 70 W, 14 " "

47.57 To the Old Indian Boundary line  
& set a post. from which

a Wh. Oak 16 in. dia. bears East 14 ch. dist.  
a Hickory 6 " " " West 9 " "  
Timb. Oak, & Hickory, Land, level.  
Brush and green briars.

---

North Between Sections 15 & 16.

40.00 Set gr. sec. post. from which  
a Hickory 10 in. dia. bears S 4 W, 14 ch. dist. &  
a Wh. Oak 16 " " " N 20 E, 16 " "

80.00 Set post cor. to Secs 9, 10, 15 & 16, from wh.  
a Swamp Oak 6 in. dia. bears S 68 W, 12 ch. dist.  
& a Maple 6 in. dia. bears West 14 ch. dist.

Land, level Timb. Oak Maple &c.  
Soil 3<sup>rd</sup> rate.

---

T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

West Between Secs. 9 &amp; 16. (on Random)

40.00 Set tempy. gr. Sec. post.

65.00 a stream 50 lbs. wide course N. W.

70.00 Same runs N 80 W.

80.00 Intersected N &amp; S. line at post.

Land, Broken. Timb. Oak, Hickory  
Gum &c.East On connect line betw<sup>n</sup> Secs. 9 & 16.40.00 Set gr. Sec. post. from which  
a Bl. Oak 14 in. dia. bears S 40 E, 10 lbs. dist. &  
a Wh. Oak 10 " " " N 40 W, 7 " "

30.00 Section Corner.

East Between Secs. 10 &amp; 15.

40.00 Set gr. Sec. post. from which  
a White Oak 10 in. dia. bears N 2 E, 3 lbs. dist. &  
a Gum 10 " " " N 4 E, 3 " "40.30 To the Old Indian Boundary line  
& set post cor. to Sec. (part.) 10 & 15. —  
a Gum 10 in. diam. stands for post.  
Land, level. Timb. Oak, Gum &  
Hickory — brush & briars, 3  $\frac{2}{3}$  rate.

North Between Sections 9 &amp; 10.

40.00 Set gr. Sec. post. from which  
a Dogwood 4 in. dia. bears North, 6 lbs. dist.,  
a Wh. Oak 14 in. dia. " N 21 W, 10 " "80.00 a Wh. Oak 18 in. dia. stands for post cor.  
to Secs. 9 & 10,Land, level Oak Maple Gum &c.  
Land, level. 3  $\frac{2}{3}$  rate.

West Between Secs. 4 &amp; 9. on Random

40.00 Set tempy. gr. Sec. post.

80.20 Intersect N &amp; S. line 54 lbs. N. of post

T. 10 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Ch. 3rd

East Correct line between Sec. 4 &amp; 9.

40.10 Set q. sec. post. for which  
an ash 4 in. diam.

80.20 Section corner.

Land Broken. Timber, Oak and  
Hickory &c. Brush & briars 3<sup>rd</sup> rate.

East Between Sections 3 &amp; 10.

40.00 Set q. sec. post. from which  
a Hickory 6 in. dia. bears N 5 E. 14 lks. dist. &  
a Dogwood 4 " " " S 13 W. 14 " "72.00 To the Indian Boundary line  
a Bl. Oak 18 in. dia. being for post.

Land, Broken. Timber: Oak, Hickory.

North Between Sec. 3 &amp; 4.

10.00 a stream 6 lks. wide course W.

28.00 a Do. 12 " " " W.

40.00 Set q. sec. post. a Wh. Oak 12 in.  
diam. stands for post.

80.77 Intersect N. Boundary 4 lks. E. post.

Timber Oak, Hickory &c. brush &  
briers, 3<sup>rd</sup> rate.

South Between Sections 2 &amp; 3.

21.00 To the Old Indian Boundary line  
and set a post from which  
an Oak 10 in. dia. bears N 65 E. 14 lks. dist. &  
a Hickory 4 in. " " S 40 W. 4 " "Land Broken as ever. Timber, Oak  
Hickory &c. — 3<sup>rd</sup> rate.

Surveyed in 1806

By Stephen Snodlow  
Deputy Surveyor.

372

T. 10 N. R. 13 E. 2<sup>nd</sup> Ma. Indiana.

I certify that the foregoing transcripts  
of field notes of Township No. 10 North  
in Range No. 13 East 2<sup>nd</sup> Principal,  
Meridian, Indiana has been compared  
with the original field notes in this  
Office and found to be correct.

Surveyor General's Office  
Detroit Nov. 1. 1849.

Lucius Lyon,  
Sut. Genl.